Applied Radiation and Isotopes

Volume 46, 1995

Subject Index



APPLIED RADIATION AND ISOTOPES

EDITORS-IN-CHIEF

W. L. McLaughlin

Radiation Physics Laboratory, C229, National Institute of Standards and Technology, Gaithersburg, MD 20899, U.S.A. D. M. TAYLOR

University of Wales, College of Cardiff, School of Chemistry and Applied Chemistry, P.O. Box 912, Cardiff CF1 3TB, Wales

CONSULTING EDITOR EMERITUS

W. B. MANN, 5710 Warwick Place, Chevy Chase, MD 20815, U.S.A.

EDITORS

- D. A. Bradley, Asia Lab (Malaysia) Sdn. Bhd., No. 6 Jalan 4/91, Taman Shamelin Perkasa, Cheras, 56100 Kuala Lumpur, Malaysia
- B., M. COURSEY, Ionizing Radiation Division, Physics Laboratory, National Institute of Standards and Technology, Gaithersburg, MD 20899, U.S.A.
- J. CSIKAI, Institute of Experimental Physics, Kossuth University, H-4001 Debrecen, Pf. 105, Bem ter 18/9, Hungary
- K. Debertin, Physikalisch-Technische Bundesanstalt, Postfach 3345, D 38023 Braunschweig, Germany
- W. C. Eckelman, NIH/Clinical Center, Building 10, 1C495, 9000 Rockville Pike, Bethesda, MD 20892, U.S.A.
- E. A. Evans, 5 Willow Chase, Hazlemere, High Wycombe, Buckinghamshire HP15 7QP, England
- T. FLORKOWSKI, Institute of Physics & Nuclear Techniques, Academy of Mining & Metallurgy, Al. Mickiewicza 30, 30-059 Krakow, Poland
- R. P. GARDNER, Center for Engineering Applications of Radioisotopes, North Carolina State University, Box 7909, Raleigh, NC 27695-7909, U.S.A.
- J. DE GOEIJ, Delft University of Technology, Interfaculty Reactor Institute, Mekelweg 15, 2629 JB Delft, The Netherlands
- F. F. Knapp, Health Sciences Research Division, Mail Stop 6229, Building 4501, Oak Ridge National Laboratory, P.O. Box 2008, Oak Ridge, TN 37831, U.S.A.
- W. R. MILLS, 1808 Manor Lane, Plano, TX 75093, U.S.A.
- V. W. Pike, PET Methodology Group, Cyclotron Unit, MRC Clinical Sciences Centre, Royal Postgraduate Medical School, Hammersmith Hospital, Ducane Rd, London W12 ONN, England
- J. S. Schweitzer, Schlumberger-Doll Research, Old Quarry Road, Ridgefield, CT 06877-4108, U.S.A.
- T. TOMINAGA, Department of Chemistry, Faculty of Science, University of Tokyo, Bunkyo-ku, Tokyo, Japan
- J. S. WATT, CSIRO Division of Minerals, Lucas Heights Research Laboratories, Private Mail Bag 5, Menai, N.S.W. 2234, Australia
- L. I. Wiebe, Faculty of Pharmacy and Pharmaceutical Sciences, 3118 Dentistry-Pharmacy Center, University of Alberta, Edmonton, Canada T6G 2N8

Copyright © 1996 Elsevier Science Ltd

Publishing Office

Elsevier Science Ltd, Bampfylde Street, Exeter EX1 2AH, England (Tel. Exeter (01392) 51558; Fax 425370)

Production Editor: Alison Seedhouse (e-mail: a.seedhouse@elsevier.co.uk)

Subscription and Advertising Offices

North America: Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A.
Rest of the World: Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington,
Oxford OX5 1GB, England
(Tel. Oxford (01865) 843000; Fax 843010)

Frequency: Published Monthly

Subscription Rates

Annual Institutional Subscription Rates 1996: North, Central and South America, U.S.\$1263.00, Rest of the World £794.00.

Associated Personal Subscription Rates are available on request for those whose institutions are library subscribers. Sterling prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice.

Back Issues

Back issues of all previously published volumes are available direct from Elsevier Science Offices (Oxford and New York).

Complete volumes and single issues can be purchased for 1991-1995. Earlier issues are available in high quality photo-duplicated copies as complete volumes only.

SECOND CLASS POSTAGE PAID AT NEWARK, NJ. Applied Radiation and Isotopes (ISSN 0969-8043) is published monthly by Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K. The annual subscription in the U.S.A. is \$1263.00 Applied Radiation and Isotopes is distributed by Mercury Airfreight International Ltd, 10 Camptown Road, Irvington, NJ 07111-1105, U.S.A. Postmaster: Please send address corrections to Applied Radiation and Isotopes, c/o Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A.

SUBJECT INDEX VOLUME 46

Accelerator	
Electron linear: use to produce ¹⁸ F ⁻ from 2-fluoroaniline	123*
Storage rings housed in PEP-II tunnel: estimation of radiation dose to electron	nic
equipment	473
Acetate	
¹¹ C labelled: synthesis and quality control	173*
[11C] labelling	317
Acetic acid	
[11C] labelled: column extraction method	117
Actinides	
Artificial: inhalation by Australian aborigines	1099
Biokinetics and absorption in humans: review	279
Speciation studies in ground water using anion exchange	1159
Actinium	
²²⁷ Ac:determination by α- particle spectrometry	1065
²²⁸ Ac activity in amang effluent	147*
Activation analysis	
Combination with ion channelling for trace analysis and lattice location	413
INAA:use to study Se,Sb,Zn and Co levels in yeast cells	1295
Neutron; Li determination in water samples	211
Neutron: of Atlantic Moroccan marine sediments	623
Neutron facility for measuring body nitrogen in small animals	269*
Thin layer: by accelerated particles of wear and corrosion estimation	663
Adenosine A ₁ antagonist	
Synthesis and preliminary evaluation of [11C] KF 15372	1009
Adsorbent	
Use of Cr(IV) oxide powder for Ba and Sr ions	847
Use of hydrous ceric oxide for Ba and Sr ions	75
Aerosols	10
Particles in the environment:PIXE analysis	615
Radiolabelled: production and use	157
Air	157
Aerosol-attached radon progeny in the open	1393
Measurement of radon activity indoors in dwellings and work areas in Moro	
Alanine	001
Dosimeter: lyoluminescence and ESR measurements	827
-Polymer dosimeter: orientation effects on ESR analysis	1407
-Silicone pellets:evaluation for electron dosimetry	813
Albedo	013
Calculation using the C _N method	421
	421
Albumin	20
Human serum: photolabelling by 4-azido-2-([14C]-methylamino)trifluorobe nitrile	233
	233
Alkene	771
Aromatic: 11C labelling with 11C labelled polymer bound Wittig reagents	//1
Alloy Crystalline: defect creation by swift heavy ions	375
Crystalline, detect creation by SMIII heavy tons	3/3

Alpha particle	
Low level sources spectrometry:verification for Pu isotopes	1135
Measurements to determine Pu content and isotopic ratios in environmental	
samples	1151
Reactions: production of residual nuclei on various targets	93
Aluminium	
Al ₂ O ₃ /KF: use in production of L- [11C-methyl] methionine	893
Attenuation curve of a low energy x-ray beam and comparison with depth	
dose data	437
Electron dose distribution from a point source	1317
Production of residual nuclei by α-induced reactions	93
Use as target in [18F] F ₂ production	87
Void defects:determination with Fluorex x-ray tube	501
Amang	
Effluent: radioactivity	147
Americium	
²⁴¹ Am in bone of Marshall Islanders	1253
Assessment in contaminated wounds	199
Contamination characteristics at Maralinga and Emu test ranges	1099
Multirecycling to reduce long term radioactivity	681
Amine-phenol ligand	
Pentadentate chiral:studies with 99m Tc	923
1-Aminocyclopentane-1-[11C] carboxylic acid	
On column preparation	899
Ammonia	
[13N] NH ₃ : on line anion exchange purification	83
Angular correlation studies	
γ-γ: normalization of data from a four detector system	503
Animal	
Reindeer: accumulated radiation dose	1077
Antibody	
IgM cold agglutinin: 125I labelling	975
Labelling:separation of 67Cu from irradiated zinc	329
Monoclonal:quantitation of reduced disulphide groups	1015
Antimony	1010
Levels in yeast cells:use of INAA	1295
Apparatus	1275
Channel electron multiplier: efficiency for detection of low energy ²⁰⁵ Pb ions	477
Electronic equipment in PEP-II tunnel: radiation dose estimation	473
	269
Neutron activation facility for measuring N in small animals	339
Shielded housing for automated production of PET radiopharmaceuticals	339
Applied radiation and isotopes medal	(10) ***
Award to Bill McLaughlin and editorial	(12) iii
Argon	
⁴⁰ Ar(α,p) ⁴³ K reaction:excitation function and thick target yield	1413
⁴⁰ Ar and ²⁴ Mg reaction:proton energy spectra	425
Atom	
Heavier: measurement of total and photoelectric cross sections in vicinity of	
absorption edges	419
-Ion collisions:radiations produced	401
Atomic nuclei	
At higher angular momentum: statistical model in nuclear population and	
de-excitation	451

Subject Index

Attenuation coefficient	
Of dilute solutions of NaCl for 662keV gamma radiation	369*
Background	
Modelling for LSC	929
Barium	
Adsorption on hydrous ceric oxide	75
Adsorption on chromic(IV) oxide	847
131Ba:nuclear parameters in decay	875
Beryllium	450
10Be in ice cores by accelerator mass spectrometry	457
Cosmogenic ⁷ Be in grass of the Maamora site Beta particle	645
Radiation dose above a uranium mine contaminated water disposal area	965
Spectra shape factor coefficients determination	125
Transmission: the P1 approximation	443
Biogel	445
Low energy photon attenuation measurements	783
Biomaterial	
Hydroxy-apatite:characterization and quality assurance	727
Treatment of data in study of elemental concentrations	629
Bismuth	
²⁰¹ Bi: excitation functions for formation _calculated and experimental data	29
214Bi activity in amang effluent	147
²¹⁴ Bi aerosol particle concentration in open air:size distribution	1393
Blast furnace	
Cooling plate leakage: determination	221
Blood	
Plasma clearance of Te in rabbits	987
Bone	
Content of ^{239,240} Pu and ²⁴¹ Am in Marshall Islanders	1253
Pu content due to environmental Pu	1245
Book review	in 65
A history of accelerator radiation protection _ personal and professional memoral individual monitoring of ionizing radiation	273
Indoor radon remedial action	273
Intake of radionuclides_ detection, assessment and limitation of occupational	213
exposure	143
Radiochemistry and nuclear chemistry	1085
Transport for the nuclear industry	274
Transuranium elements: a half century	305
Boron	
¹⁰ B:analysis in biological sample by PIGE	855
Brain	
Rat: trace element distribution following supplementation by Pb and Li	59
Bremsstrahlung	
Electron: energy losses and spectra	445
Of 4MeV electrons: use to produce photoexcitation of isomers	435
Brick	
Made in Cairo: natural radioactivity	1401
Building materials	
Brazilian:natural radioactivity determination	1387
Butyrophenone neuroleptics	
18F labelled: remote controlled one step production	911

C _N method	
Application to the calculation of the albedo of a semi-infinite medium	421
Cadmium	
Cd2+ complex with phosphoric acid at radiotracer level	657
109Cd use in XRF analysis of iron	625
Concentration in man by in vivo XRF	571,605
Target: separation of 110In by thermal diffusion	859
Total mass attenuation coefficient and photoelectric	
cross section values	419
Calcium	
CaF ₂ :Mn :study of main glow peak	869
Calorimeter	
NBS/NIST Peltier effect microcalorimeter:40 year review of radioactivity	
measurements	185
Capacitor	
MOS: characteristics and radiation effects	355
Carbon	
Production of residual nuclei by α-induced reactions	93
¹⁴ C dating by accelerator mass spectrometry	457
¹⁴ C: microdosimetry in different materials	559
60C: structural studies using high resolution neutron powder diffraction	519
Carbon dioxide	
¹¹ C labelled: generator	337
Cell	
Nucleus:microscopic dose calculations from Auger electrons of 125I	661
Ceramic coating	
Characterization and quality assurance	727
Ceric oxide	
Hydrous: use as adsorbent for Ba and Sr ions	75
Cesium	
Ion exchange and sorption kinetics in soils	839
Radioisotopes:excitation functions for production in proton bombardment	
of nat Xe	1377
Sorption kinetics on mordenite	7
137Cs and 134Cs concentrations in fish in Bay of Bengal	363
137Cs:β-spectra shape factor coefficients	125
137Cs fallout as a tracer of erosion sedimentation	659
137Cs in foodstuffs in Egypt	607
137Cs source:isomer excitation	433
¹³⁷ Cs:standardization by Cherenkov counting	799
Channel electron multiplier	
Efficiency for low energy ²⁰⁵ Pb ions	477
Charge diffusion effect	
Verification by x-ray response for a semiconductor detector array	489
Chlorine	
36Cl: β - spectra shape factor coefficients	125
36Cl in ice cores by accelerator mass spectrometry	457
Chromatography	
Liquid-liquid: use in preparation of ¹¹ C acetic and palmitic acids	117
Size exclusion-HPLC: use in determination of sulfhydryl groups in monoc	
antibodies	1015
Chromium	
Cr(IV) ovide nowder: use as an adsorbent for Sr and Ba ions	847

Clay	
Adsorption of 90Sr	287
CO2 radical	201
Dating in fossil tooth enamel by EPR	311
Cobalt	
Levels in yeast cells:use of INAA	1295
60Co source: isomer excitation	433
60Co standardization by Cherenkov counting	799
60Co:teletherapy:calculation of isodose curves	655
Cocaine	
Radiofluorinated analogues: use of 2-[18F]-fluoroethyl bromide	765
Coin	
Archeological: elemental analysis	583
Collision	
Ion-atom: radiations produced	401
Complex	
Phosphoric acid with Cd ²⁺ , UO ₂ ²⁺ and Th ⁴⁺ at radiotracer level	657
Computer	
Use for standardization of γ-ray spectra	949
Contamination	
Environmental: study in Czech republic	595
Copper	
64Cu aerosol: production and tracer use	157
67Cu : separation from irradiated zinc for antibody labelling	329
Corrosion	
Determination by nuclear methods	663
Cosmic rays	401
Intensity to determine effective equivalent depth of underground location	481
Production of annihilation radiation in iron and lead	431
Counter	
Continuous scintillation: using a paraffin scintillator and solid support	191
Counting	
Cherenkov: radionuclide standardization	799
Liquid scintillation:background modelling	929
35S-32P double label:pulse height spectral analysis	791
CR-39 polycarbonate	
Particle identification as a function of residual range of heavy ions	351
Range of heavy ions in a stack	1345
Track detector: use as personal neutron dosimeter	509
Curium	
Multirecycling possibility to avoid radioactive waste	681
²⁴² Cm: biokinetics and absorption in humans	279
Cyclotron	
Production of ¹⁸ F	833
Production of ¹²⁴ I	255
Stray neutron field:use as a neutron irradiation facility	1333
Data	
Treatment in the study of elemental concentration of biological matter	629
Dating	
CO ₂ sites in fossil tooth enamel	311
Nondestructive and destructive by γ- spectrometry	651
Sea-level: reliability using Th/II method for molluscs	653

Decay	
Of ¹³¹ Ba: study of some nuclear parameters	875
Of 159Gd	133
Of ²⁰⁹ Po: probability of the 2.3keV ²⁰⁵ Pb level	547
Of 64Zn:electron-positron conversion	455
Densitometry	
X-ray: improved ratio method	631
Depth	
Effective equivalent for an underground location: determination from cosmic	
ray intensity	481
Detector	
Collimated for γ-spectroscopy including self-attenuation and collimator	1355
edge penetration effects	479
CR-39 plastic track:for determination of indoor radon	129
CR 39 track: use as personal neutron monitor	509
Four in system:normalization procedure in γ - γ angular correlation studies	503
High energy resolution semiconductor and use in assessment of Am and Pu	
contamination of wounds	199
HPGe: absolute peak efficiency calibration using ESOLAN program	933
Radiation-hard non-contact fluid sensor	1061
Photosimulated luminescent: use as personal dosimeter for x-rays and γ -rays	467
Semiconductor:charge diffusion effect on x-ray responses	489
Semiconductor:x-ray energy responses	487
Semiconductor x-ray:use to determine plasma electron temperatures	491
Silicon:use in direct reading personal neutron detector	469
Silicon surface barrier:electric field strength and plasma delay	493
Solid state nuclear track	400
Calibration for radon concentration in air	483
Use to determine Th and U in geological samples	365*
Diamond Prohamond shows to six an electron house	(25
Probe:performance characteristics in an electron beam	635
Diffraction High resolution neutron neutron neutron in studies of 60C	510
High resolution neutron powder:use in studies of 60C	519
Dopamine Transporter: synthesis of [18F]NNC 12-0817 and [18F]NNC 12-0818	323
	343
Dosimeters ESP	1.407
Alanine:orientation effects on ESR analysis	1407
Alanine and sucrose:lyoluminescence and ESR measurements	827
CaF ₂ :Tm: kinetic parameter analysis for dosimetric peaks	1369 515
Environmental:USDOE's international intercomparison study	819
ESR of sugar for radiation emergencies Free radical: dose intercomparison experiment for γ-rays and 3MeV electrons	
Personal	
Neutron:use of CR39 track detector	509
Neutron:use of silicon detector	469
Use of photostimulated luminescent detector	467
Thermoluminescent:uuse to determine natural radiation annual exposure rate in Antarctic	1363
Thermoluminescent CaF ₂ :Tm :response to protons	1081
Use of alanine-silicone pellets for electrons	813
	013
Dosimetry Absorbed dose simulation and application to imaging	439
A POSOLOGO GOSE SHIRII GUUN GIIU GDDIICALIOII LO IIII ARIIIR	737

Accumulated dose by reindeer from Novaya Zemlya Calculation of energy fluence of an x-ray beam from narrow beam attenuation	1077
curve in Al	437
Calculation of isodose curves for 60Co teletherapy	655
Detection limits of ionizing radiation in mollusc shells by e.p.r. spectroscopy	1047
Dose to humans due to environmental Pu	1245
Electron dose distributions from point sources in water, aluminium,	1215
iron and lead	1317
Estimation of dose to critical organs outside radiation beams of a Mevatron	613
Intercomparison experiment for γ -rays and 3MeV electrons using free radical	
dosimeters	205*
Micro: of tritium and ¹⁴ C in different materials	559
Microscopic dose calculations within cell nucleus from Auger electrons	
of ¹²⁵ I	661
Natural radiation in the Antarctica zone: altitude dependence	1363
Neutron: assessment and comparison of cross section libraries	557
Of proton clinical beams:applicability of alanine and radiochromic detectors	1355
Performance characteristics of a diamond probe in an electron beam	635
Radiation dose to electronic equipment in PEP-II tunnel: estimation	473
Use of optical fibres for measurements	471
Dysprosium	
Total mass attenuation coefficient and photoelectric cross section values	419
152Dy nuclei: relative intensities and spin of crossing points	451
[166Dy] Dysprosium/[166Ho] holmium in vivo generator	759
Effective surface potential	
Use to compute differential cross section for elastic scattering of 16O on 28Si	17
Effluent	
Amang: radioactivity studies	147*
1970 West Valley discharge:effect on Pu levels in Lake Ontario	1231
Electric field strength	
In silicon surface barrier detector	493
Electron	
Beam: performance characteristics of a diamond probe for	
dosimetry calculations	635
Bremsstrahlung in a screened atomic potential:energy losses and spectra	445
Dose distributions from point sources in water, aluminium, iron and lead	1317
Dosimetry:use of alanine-silicone pellets	813
High energy beam:use to decompose phenol in aq. solutions	1307
-Hole generation: effects of MOSFETs due to γ -ray exposure	1337
Low energy: comparison of calculated and measured stopping powers in	
different materials	561
3MeV: dose intercomparison experiment	205*
Electron paramagnetic resonance	
Dating CO ₂ sites in tooth enamel apatites	311
Use to evaluate alanine-silicone pellets as electron dosimeters	813
Element	
Concentration in biological samples:treatment of data	629
ENDOR	
Use in dating CO ₂ sites in tooth enamel apatites	311
Environment	
Changes: evaluation of time scales by using radiometers	627
Contamination in Czech republic: determination by radioanalytical methods	595
Determination of Pu content and isotopic ratios	1151

Subject Index

Marine:effect of Pu release from European reprocessing plants	1121
Metrology measurements of Pu	1145
Nagasaki A-bomb Pu mobility	1191
Particulate matter: PIXE analysis	615
Research:use of fallout from Pu A-bomb released over Nagasaki as a study	
base	1089
Erbium	
Mass attenuation coefficient and photoelectric cross section values	419
ESOLAN	
Program for calibrating absolute-peak-efficiency of HPGe detectors	933
ESR	,,,,
Analysis:orientation effects of alanine-polymer dosimeters	1407
Measurements on alanine and sucrose dosimeters	827
Of sugar as personnel monitor	819
Excitation functions	017
For production of radioisotopes of Cs,Xe and I in proton bombardment of	
natXe	1377
For the formation of the neutron deficient nuclei 201Tl, 201Pb and 201Bi	29
Measurement via stacked foil technique:internal radiation system	955
Of 3He particle induced nuclear reactions on Ni	249
Of 124Te(p,xn) 124,123I reactions	255
Of the ${}^{40}\text{Ar}(\alpha, p){}^{43}\text{K}$ reaction for the production of ${}^{43}\text{K}$	1413
Extraction	
Liquid-liquid on kieselguhr column for preparation on ¹¹ C acetic	
and palmitic acids	117
Extrelut	
Use in preparation of 1-aminocyclopentane-1-[11C] carboxylic acid	899
Use in production of ¹¹ C acetic and palmitic acids	117
Fat	
Determination in meat using the neutron/gamma transmission method	741
2:18FDG	
¹⁸ F[FDG] automated synthesis from tetrabutyl ammoniumbicarbonate	887
Synthesis: base irradiated decomposition of a mannose triflate	149
Fertilizer	
Fluxes and distribution of natural radionuclides during production and use	717
Film	
Stainless steel:Mössbauer spectroscopy and x-ray diffraction study	725
Fish	123
Marine: radioactivity in Bay of Bengal	363*
Fission	303
Product:transmutation	681
	1259
Track analysis of urine of Rongelap and Utirik populations for Pu	
Track annealing: convection methodology	507
Track dating:method for evaluation of the neutron spectrum	1351
Fluid	10/1
Radiation-hard noncontact sensor	1061
Fluoride	
18F- ion: production from 2-fluoroaniline using an electron	
linear accelerator	123
Fluorine	
[18F]F ₂ : production with an improved Al target	87
18F aerosol production and tracer use	157
¹⁸ F nca:cyclotron production on natural neon gas targets	833

[18F] fluoroaryl ketones	
Nca synthesis for use as radiopharmaceutical intermediate	599
[18F] fluorobenzaldehydes	377
Baeyer-Villiger oxidation to synthesise 2- and 4-[18F]fluorophenols	777
2-[18F]fluoroethyl bromide Distilled:use in synthesis of radiofluorinated cocaine analogues	765
2- and 4-[18F]fluorophenols Synthesis by Baeyer-Villiger oxidation of [18F] fluorophenyl ketones and [18F]	
fluorobenzaldehydes	777
[18F]fluorophenylketones Baeyer-Villiger oxidation to produce 2- and 4-[18F]fluorophenols	777
[18F]NNC 12-0817 (1-(2-[bis(4-fluorophenyl)methoxy]ethyl)-4-[4-oxo-4-(2-thienyl)butyl]piperazine)	
Synthesis	323
[18F]NNC 12-0818 (1-(2[bis(4-fluorophenyl)methoxy]ethyl)-4-[4-hydroxy-4-(2-thienyl)butyl]piperazine)	
Synthesis	323
Folding potential analysis	
Of the elastic scattering of 4He on 6Li	23
Food	
Radioactivity in Egypt	607
Forest Polish:distribution of Pu from Chernobyl	1203
Fusion	1205
Research: present status review	531
Gadolinium	
Total mass attenuation coefficient and photoelectric cross section values ¹⁵⁹ Gd: decay	419 133
Gallium	
68Ga aerosol production and tracer use	157
Gamma ray	
Dose intercomparison experiments	208*
Effects of electron-hole generation in MOSFETs due to exposure	1337
Environmental radiation due to radon daughters:time variation due to	603
precipitation Simultaneous transmission with neutrons to determine fat in meat	741
Spectra stabilization:computer method	949
Sterilization: long term effects on degradation of implant materials	637
Transport:polarization effects	383
Gas	
Industry: technological enhancement of naturally occurring radioactivity	577
Generator 166Dy/166Ho for use in vivo	759
For [11C] carbon dioxide	337*
For [99mTc] sodium pertechnetate	13*
Neutron: use in neutron logging in Russia	639
94Ru / 94Tc generator:use to improve product purity	69
109mAg:use of 109Pd sorbed on AG 50W-X8 cation exchanger	1007*
Technegas for production of radiolabelled aerosols	157
GEPTS(gamma, electron and positron transport system)	
Use to compute electron dose distributions	1317

Glass	
Archeological: elemental analysis	583
Corning CN for evaluation of the neutron spectrum in fission track dating	1351
Glow peak	
Study of main peak for CaF ₂ :Mn	869
Gold	
Estimation of small quantities of metal in ore	599
Grass	
Cosmogenic ⁷ Be concentration at the Maamora site	645
Half life	
Biological: 125I-131I take up in seaweed	1299
Of ²³⁷ Pu : comments	371
Of 121Te	865
Helium	000
Bubbles in vanadium:positron annihilation technique	981
³ He particle excitation functions: for induced nuclear reactions on Li	249
4He elastic scattering on 6Li : folding potential analysis	23
Heptyl [11C] isocyanates	23
Radiosynthesis from [11C] phosgene and application to synthesis of carbamates	167
	107
[11C] Heptylphysostygmine Synthesis from heptyl[11C] isocyanate	167
	167
Herbs	1071
Asian:radiation treatment detection	1071
HFA-134a(Hydrofluoroalkane)	0.41
18F labelled: synthesis and in vivo disposition studies	241
Historical problems	
Investigation by noninvasive technique	643
Holmium	
166Ho in vivo generator from 166Dy	759
5HT3 receptor antagonist	
Synthesis of [11C] Y35130 and [11C]YM060	907
Hydroxyapatite	
Characterization and quality assurance procedures for ceramic coatings	727
[1251]IgM human monoclonal cold agglutinin	
Labelling and studies on its biological activity	975
Image	
Processing by simulation of absorbed dose	439
Imaging	
Plate for photostimulated luminescence:use as a personal dosimeter for x-	
and γ-rays	467
Implant materials	
Degradation:long term effects of γ-sterilization	637
Indium	
Total mass attenuation coefficient and photoelectric cross section values	419
110In:rapid separation from Cd targets by thermal diffusion	859
¹¹¹ In: use to label β ₂ -microglobulin	171
Intercomparison studies	
USDOE,s study of thermoluminescent dosimeters for the environment	515
Iodine	
Radioisotopes:excitation functions for production in proton bombardment of	
natXe	1377
124I: cyclotron production and excitation functions of 124Te(p,xn) 124,123I	
reactions	255

Subject macx	A
125I activity determination by sum-peak accidental summing correction	945
125I Auger electrons: calculation of dose within a cell nucleus	691
125I-131I double tracer take up and biological half-life in seaweed	1299
5-Iodoacetamidofluorescein	
Use to determine sulfhydryl groups in monoclonal antibodies	1015
5-Iodo-2'-deoxyuridine	
Radiolabelling	1039*
3-[1231] Iodo-o-methyl-L-\alpha- methyl tyrosine [1231]OMIMT	
Kit preparation	917
L-3-lodomethyl tyrosine	
Preparation by kit method	177*
[123I] labelled: preparation by kit method	917
3-[123I]Iodo-o-methyl-L-tyrosine [123I]OMIT	
Kit preparation	917
Ion	
-Atom collisions:radiations produced	401
Beam:use for microtomography	689
Beam from laser plasma: production and applications	723
Channelling :applications	413
Heavy	
Identification by range in CR-39 and Lexan polycarbonate	351
Range in solids	1345
Stopping power in solids	39 545
O+ and Si+ ion bombardment: induction of disorders in silicon	375
Swift,heavy: defect creation in the electronic stopping power regime	313
Ion exchange	
Anion	83*
Use in on-line purification of [13N] NH ₃ Use in preparation of 11C-acetate	317
Use in studies of speciation of Pu and other actinides in ground water	1159
Separation of U(IV) and U(VI) on lanthanum ammonium oxalate	1
Sorption kinetics of Cs and Sr in soils	839
Iron	0.00
Electron dose distributions from a point source	1317
In vivo determination by XRF analysis	625
Production of annihilation radiation by cosmic rays at sea level	431
54Fe: neutrinoless double electron capture	447
57Fe: investigation by Mössbauer spectroscopy with synchrotron radiation	525
Irradiation	
Internal system for excitation function measurement	955
Isabelle, Prof. Didier	
	46 (6/7) ix
Isomer	
Excitation cross sections produced by ¹³⁷ Cs and ⁶⁰ Co sources	433
Photoexcitation by bremsstrahlung of 4MeV electrons	435
Kit	
Preparation of L-iodo-α-methyl tyrosine	177*
Use in preparation of radiodinated nca L-tyrosine derivatives	917
Lanthanum	
Ammonium oxalate:use to separate U(IV) and U(VI)	1
Photon activation analysis with a Ge-BGO Compton	
suppression spectrometer	999*

Lead Cabinets for shielding automated chemistry modules 339* Concentration in man by in vivo XRF 571 Determination as trace element in ultra pure water 633 Effect on trace element distribution in rat brain 59 Electron dose distributions from a point source 1317 Low energy ²⁰⁵Pb ions: efficiency of channel electron multiplier for detection 477 Production of annihilation radiation by cosmic rays at sea level 431 201Pb: excitation functions for formation -calculated and experimental data 29 205Pb: population probability of the 2.3keV level in the α-decay of 209Pb 547 210Pb; sedimentation rates in water in semiarid and arid areas 617 214Pb activity in amang effluent 147* 214Pb aerosol particle concentration in open air: size distribution 1393 Leakage In blast furnace cooling plates: determination 221 Lexan polycarbonate Particle identification as a function of residual range of heavy ions 351 Range of heavy ions in stack 1345 -Pentadentate chiral amine-phenol: synthesis and radiochemical studies with 99mTc 923 Liquid Polymeric: viscosity divergence after y-irradiation 721 Determination in water by neutron activation 211 Effect on trace element distribution in rat brain 59 6LiD: use to produce 110MeV neutrons in a thermal reactor column 505 Liver Pu content due to environmental Pu 1245 Lyoluminescence Measurements on alanine and sucrose dosimeters 827 Machine Corrosion and wear estimation by nuclear methods 663 Magnesioferrite High pressure studies using synchrotron radiation 553 Magnesium Production of residual nuclei by α - induced reactions 93 Magnesium silicate Doped with Cr and Al: matrix analysis using reactor spectrum neutrons 555 Magnetite High pressure studies using synchrotron radiation 553 Mannose triflate Base mediated decomposition during synthesis of 2-18FDG 149 Marine organism Uptake of Pu 1213 Mass attenuation coefficient Measurement of moderate to high atomic number elements at low proton 113 Measurements for heavier ions 419 Matrix Multielement analysis using reactor spectrum neutrons 555 McLaughlin, William Award of 1995 Applied Radiation and Isotopes medal (12) iii

Mercury	
Concentration in man by in vivo XRF	571
Meat	0,1
Fat measurement:using neutron/gamma transmission method	741
Metal	
Heavy:in vivo x-ray fluorescence for assessment of concentration in man	571
Methionine	
¹¹ C labelled: synthesis and quality control	173
Methyl[IIC]isocyanates	
Radiosynthesis from [11C] phosgene and application to synthesis of carbamates	167
[11C] Methyl magnesium iodide Synthesis and application to introduction of [11C] tert-butyl groups and [11C]	
-sec-alcohols	227
L-[11C-Methyl]methionine	221
Nca production with Al ₂ O ₃ /KF	893
[18F]N-methylspiperone	0/2
Synthesis	911
Metrology	
Of Pu for environmental measurements	1145
Mevatron MX6700 and KDS	
Estimate of dose delivered to critical organs outside the radiation beam	613
β ₂ -Microglobulin	
Labelling with 111In	171
Milk	
Powder irradiated:thermoluminescence	733
Mineral	
Analysis by electron and proton induced x-ray spectrometry	563
Feldspar: adsorption of 90Sr	287
Mining industry: technological enhancement of naturally occurring	
radioactivity	577
Monazite:determination of U and Th during upgrading	735
Phosphate:determination of uranium and thorium content Thermoluminescence of contaminants:use in detection of radiation treatment	735
of Asian spices and herbs	1071
Mollusc shell	1071
As detector of radiation levels	1047
Molybdenum	104
106Mo neutron rich nucleus: investigation of high spin states	549
Monazite	547
Uranium and thorium content during upgrading	735
Monte Carlo calculations	, , ,
Of 14MeV neutron characteristics produced by an enriched 6LiD compound	505
Of radiation energy absorbed in plastic scintillators	499
Use for design of gas targets for radionuclides	751
Monte Carlo transport system	
GEPTS: use to compute electron dose distributions	1317
Mordenite	
Sorption kinetics of cesium	7
MOSFETs	
γ-ray exposure: effects of electron hole generation, transport and trapping	1337
Neon	-501
Use as gas target for cyclotron production of nca ¹⁸ F	833

Use to determine fat in meat 741 Neutrino Mass detection: β-decay deconvolution 341 Oscillations: Institute Laue Langevin(Grenoble) experiment reanalysis 449	Neptunium	
Neugat 741 Vest to determine fat in meat 741 Neutrino 341 Mass detection: β-decay deconvolution 341 Oscillations: Institute Laue Langevin(Grenoble) experiment reanalysis 449 Neutron 7 Cross section libraries: assessment and comparison for dosimetry 557 Data:reference tabulation by probability tables 551 Equipment for radiation physics and thermonuclear investigations 511 Industrial uses 673 Irradiation facility:development from stray neutron field 6 of a medical cyclotron 1333 Irradiation for estimation of machine wear and corrosion 663 Logging in Russia:use of new generator 639 Low voltage pumped generators:investigations 513 14MeV:Monte Carlo calculations of characteristics when produced from a 6LiD compound Moderation: resonance escape probability 427 Personal dosimeter using a CR-39 detector 509 Powder diffraction: use in structural studies of 60C 519 Simultaneous transmission with γ-rays to determine fat in meat 741 Small angle scattering investigation of irradiated magnet steel 729		
Neutrino 341 Mass detection: β-decay deconvolution 449 Neutron 557 Cross section libraries: assessment and comparison for dosimetry 557 Data: reference tabulation by probability tables 551 Equipment for radiation physics and thermonuclear investigations 511 Intradiation facility: development from stray neutron field 67 of a medical cyclotron 1333 Irradiation for estimation of machine wear and corrosion 663 Logging in Russia: use of new generator 639 Low voltage pumped generators: investigations 513 14MeV:Monte Carlo calculations of characteristics when produced from a 6LiD compound Moderation: resonance escape probability 427 Personal dosimeter using a CR-39 detector 509 Powder diffraction: use in structural studies of 60C 519 Simultaneous transmission with γ-rays to determine fat in meat 741 Small angle scattering investigation of irradiated magnet steel 729 Spectrum: evaluation by Coming CN glass 1351 Nitokel 318 He induced reactions 249 Nitopium 249 Nitopium	Neugat	279
Mass detection: β-decay deconvolution Oscillations: Institute Laue Langevin(Grenoble) experiment reanalysis 449 Neutron Cross section libraries: assessment and comparison for dosimetry Cross section libraries: assessment and comparison for dosimetry Data:reference tabulation by probability tables Equipment for radiation physics and thermonuclear investigations Industrial uses Gra Irradiation facility:development from stray neutron field of a medical cyclotron Irradiation for estimation of machine wear and corrosion Gas Logging in Russia:use of new generator Gas Low voltage pumped generators:investigations J4MeV:Monte Carlo calculations of characteristics when produced from a 6LiD compound Moderation: resonance escape probability Personal dosimeter using a CR-39 detector Powder diffraction: use in structural studies of 6°C Sig Simultaneous transmission with γ-rays to determine fat in meat Anall angle scattering investigation of irradiated magnet steel Spectrum:evaluation by Coming CN glass Nickel He induced reactions Nickel He induced reactions Nichium Total mass attenuation coefficient and photoelectric cross section values Nitrogen Measurement in small animals by neutron activation Production of residual nuclei by α-induced reactions Signification to dosimetry measurements With radioactive beams Oil Industry: technological enhancement of naturally occurring radioactivity Optical fibres Application to dosimetry measurements 2-Oxoquazepam Radiolabelling with electrophilic 18F Oygen O+ ion bombardment:induction of disorders in silicon Production of residual nuclei by α- induced reactions 16O and 28Si back angle anomaly and effective surface potential Industric acid [IIC] labelled: column extraction method IIT Palmitic acid IIIC] labelled: column extraction method IIIC] labelled: column extraction method IIIC] labelled: column extraction method IIIC] labelled: prompt and delayed emissions in low impact parameter collision of	Use to determine fat in meat	741
Oscillations: Institute Laue Langevin(Grenoble) experiment reanalysis $Neutron$ Cross section libraries: assessment and comparison for dosimetry 557 Data: reference tabulation by probability tables 551 Equipment for radiation physics and thermonuclear investigations 511 Industrial uses 673 Irradiation facility: development from stray neutron field of a medical cyclotron 1333 Irradiation for estimation of machine wear and corrosion 639 Low voltage pumped generators: investigations 513 14MeV: Monte Carlo calculations of characteristics when produced from a 64.iD compound 505 Moderation: resonance escape probability 427 Personal dosimeter using a CR-39 detector 509 Powder diffraction: use in structural studies of 60 C 519 Simultaneous transmission with γ -rays to determine fat in meat 741 Small angle scattering investigation of irradiated magnet steel 729 Spectrum: evaluation by Coming CN glass 751 Nickel 314 industry: technological enhancement of naturally occurring radioactivity 615 N: use to investigate soil fertility 611 Nuclear physics 617 Nice to investigate soil fertility 611 Industry: technological enhancement of naturally occurring radioactivity 757 Optical fibres 757 Application to dosimetry measurements 757 Oxygen 7545 Production of residual nuclei by α - induced reactions 757 Oxygen 7545 Production of residual nuclei by α - induced reactions 7545 Production of residual nuclei by α - induced reactions 7545 Production of residual nuclei by α - induced reactions 7545 Production of residual nuclei by α - induced reactions 7547 Production of residual nuclei by α - induced reactions 7547 Production of residual nuclei by α - induced reactions 7547 Production of residual nuclei by α - induced reactions 7547 Production of residual nuclei by α - induced reactions 7547 Production of residual nuclei by α - induced reactions 7547 Production of residual nuclei by α - induced reactions 7547 Production of residual nuclei by α - induced reactions 7548 Production of residual nuclei by α - induced rea	Neutrino	
Neutron 557 Cross section libraries: assessment and comparison for dosimetry 557 Data:reference tabulation by probability tables 551 Equipment for radiation physics and thermonuclear investigations 511 Industrial uses 673 Irradiation facility:development from stray neutron field 673 of a medical cyclotron 1333 Irradiation for estimation of machine wear and corrosion 663 Logging in Russia:use of new generator 639 Low voltage pumped generators:investigations 513 14MeV:Monte Carlo calculations of characteristics when produced from a 6LiD compound 505 Moderation: resonance escape probability 427 Personal dosimeter using a CR-39 detector 509 Powder diffraction: use in structural studies of 60C 519 Simultaneous transmission with γ-rays to determine fat in meat 741 Small angle scattering investigation of irradiated magnet steel 729 Spectrum:evaluation by Coming CN glass 1351 Nickel 3He induced reactions 249 Nicbium 249 Total mass attenuation coefficient and photoelectric cross section values 419 Nitrogen	Mass detection: β-decay deconvolution	341
Cross section libraries: assessment and comparison for dosimetry Data:reference tabulation by probability tables Equipment for radiation physics and thermonuclear investigations Iradiation facility:development from stray neutron field of a medical cyclotron Iradiation for estimation of machine wear and corrosion Logging in Russia:use of new generator Low voltage pumped generators:investigations Low voltage pumped generators:investigations Low voltage pumped generators:investigations If MeV:Monte Carlo calculations of characteristics when produced from a 6LiD compound Moderation: resonance escape probability Personal dosimeter using a CR-39 detector Powder diffraction: use in structural studies of 60 C Simultaneous transmission with γ-rays to determine fat in meat Than all angle scattering investigation of irradiated magnet steel Spectrum:evaluation by Coming CN glass Nickel He induced reactions Niobium Total mass attenuation coefficient and photoelectric cross section values Nitrogen Measurement in small animals by neutron activation Total mass attenuation coefficient and photoelectric cross section values Nitrogen Measurement in small animals by neutron activation Total mass attenuation of residual nuclei by α-induced reactions 15 N: use to investigate soil fertility Nuclear physics With radioactive beams Oil Industry: technological enhancement of naturally occurring radioactivity Optical fibres Application to dosimetry measurements 2-Oxoquazepam Radiolabelling with electrophilic 18 F 1027 Oxygen O+ion bombardment:induction of disorders in silicon Production of residual nuclei by α-induced reactions 160 and 28 Si back angle anomaly and effective surface potential 17 Palmitic acid [11C] labelled: column extraction method 117 Paraffin Use as scintillator in a continuous scintillation counter Parafin Use as scintillator in a continuous scintillation counter	Oscillations: Institute Laue Langevin(Grenoble) experiment reanalysis	449
Data:reference tabulation by probability tables Equipment for radiation physics and thermonuclear investigations Industrial uses Irradiation facility:development from stray neutron field of a medical cyclotron Irradiation for estimation of machine wear and corrosion Logging in Russia:use of new generator Gay Low voltage pumped generators:investigations Low voltage pumped generators:investigations Low voltage pumped generators:investigations LiD compound Moderation: resonance escape probability Personal dosimeter using a CR-39 detector Powder diffraction: use in structural studies of 60 C Simultaneous transmission with γ -rays to determine fat in meat Shelid Sh	Neutron	
Equipment for radiation physics and thermonuclear investigations 511 Industrial uses 673 Irradiation facility:development from stray neutron field of a medical cyclotron 1333 Irradiation for estimation of machine wear and corrosion 663 Logging in Russia:use of new generator 639 Low voltage pumped generators:investigations 513 14MeV:Monte Carlo calculations of characteristics when produced from a 6LiD compound 505 Moderation: resonance escape probability 427 Personal dosimeter using a CR-39 detector 509 Powder diffraction: use in structural studies of 60 C 519 Simultaneous transmission with γ-rays to determine fat in meat 741 Small angle scattering investigation of irradiated magnet steel 729 Spectrum:evaluation by Coming CN glass 1351 Nickel 3He induced reactions 249 Niobium 249 Niobium 249 Nitrogen 419 Measurement in small animals by neutron activation 269 Production of residual nuclei by α-induced reactions 93 15 N: use to investigate soil fertility 577 Nuclear physics 370		557
Industrial uses 673 Irradiation facility:development from stray neutron field of a medical cyclotron 1333 Irradiation for estimation of machine wear and corrosion 663 Logging in Russia:use of new generator 639 Low voltage pumped generators:investigations 513 14MeV:Monte Carlo calculations of characteristics when produced from a 6LiD compound 505 Moderation: resonance escape probability 427 Personal dosimeter using a CR-39 detector 509 Powder diffraction: use in structural studies of 6°C 519 Simultaneous transmission with γ-rays to determine fat in meat 741 Small angle scattering investigation of irradiated magnet steel 729 Spectrum:evaluation by Coming CN glass 1351 Nickel 3He induced reactions 249 Niobium 249 Total mass attenuation coefficient and photoelectric cross section values 419 Nitrogen Measurement in small animals by neutron activation 269 Production of residual nuclei by α-induced reactions 93 15 N: use to investigate soil fertility 611 Nuclear physics With radioactive beams 537 Oil Industry: tec	Data:reference tabulation by probability tables	551
Irradiation facility:development from stray neutron field of a medical cyclotron 1333 Irradiation for estimation of machine wear and corrosion 663 Logging in Russia:use of new generator 639 Low voltage pumped generators:investigations 513 14MeV:Monte Carlo calculations of characteristics when produced from a 6LiD compound 505 Moderation: resonance escape probability 427 Personal dosimeter using a CR-39 detector 509 Powder diffraction: use in structural studies of 60C 519 Simultaneous transmission with γ-rays to determine fat in meat 741 Small angle scattering investigation of irradiated magnet steel 729 Spectrum:evaluation by Coming CN glass 1351 Nickel 3He induced reactions 249 Nichium 249 Total mass attenuation coefficient and photoelectric cross section values 419 Nitrogen 429 Measurement in small animals by neutron activation 269 Production of residual nuclei by α-induced reactions 93 15 N: use to investigate soil fertility 611 Nuclear physics With radioactive beams 537 Oil 11 Industr	Equipment for radiation physics and thermonuclear investigations	511
of a medical cyclotron 1333 Irradiation for estimation of machine wear and corrosion 663 Logging in Russia:use of new generator 639 Low voltage pumped generators:investigations 513 14MeV:Monte Carlo calculations of characteristics when produced from a 6LiD compound 505 Moderation: resonance escape probability 427 Personal dosimeter using a CR-39 detector 509 Powder diffraction: use in structural studies of 60 C 519 Simultaneous transmission with γ-rays to determine fat in meat 741 Small angle scattering investigation of irradiated magnet steel 729 Spectrum:evaluation by Coming CN glass 1351 Nickel 3He induced reactions 249 Nicobium 249 Total mass attenuation coefficient and photoelectric cross section values 419 Nitrogen 429 Measurement in small animals by neutron activation 269 Production of residual nuclei by α-induced reactions 93 15 N: use to investigate soil fertility 611 Nuclear physics 37 With radioactive beams 537 Oil 1ndustry: technological enhancement of naturally occurring	Industrial uses	673
Irradiation for estimation of machine wear and corrosion 663 Logging in Russia: Low voltage pumped generators: investigations 513 14MeV: Monte Carlo calculations of characteristics when produced from a 6LiD compound 505 Moderation: resonance escape probability 427 Personal dosimeter using a CR-39 detector 509 Powder diffraction: use in structural studies of 60 C 519 Simultaneous transmission with γ-rays to determine fat in meat 741 Small angle scattering investigation of irradiated magnet steel 729 Spectrum:evaluation by Coming CN glass 1351 Nickel 3He induced reactions 249 Nicholium 249 Nitrogen 419 Measurement in small animals by neutron activation 269 Production of residual nuclei by α-induced reactions 93 15 N: use to investigate soil fertility 611 Nuclear physics 361 With radioactive beams 537 Oil Industry: technological enhancement of naturally occurring radioactivity 577 Optical fibres 471 Application to dosimetry measurements 471 2-0xoquazepam 8	Irradiation facility:development from stray neutron field	
Logging in Russia:use of new generator Low voltage pumped generators:investigations 14MeV:Monte Carlo calculations of characteristics when produced from a 6LiD compound 505 Moderation: resonance escape probability 427 Personal dosimeter using a CR-39 detector 509 Powder diffraction: use in structural studies of 60 C 519 Simultaneous transmission with 2 -rays to determine fat in meat 572 Spectrum:evaluation by Coming CN glass Nickel 3He induced reactions 1249 Niobium 17014 mass attenuation coefficient and photoelectric cross section values Nitrogen Measurement in small animals by neutron activation Production of residual nuclei by α -induced reactions 15 N: use to investigate soil fertility 161 Nuclear physics With radioactive beams 537 Oil Industry: technological enhancement of naturally occurring radioactivity Optical fibres Application to dosimetry measurements 2-Oxoquazepam Radiolabelling with electrophilic 18 F Oxygen O+ ion bombardment:induction of disorders in silicon Production of residual nuclei by α - induced reactions 16O and 28 Si back angle anomaly and effective surface potential Palmitic acid [11C] labelled: column extraction method 117 Paraffin Use as scintillator in a continuous scintillation counter 191 Paraticle Charged: prompt and delayed emissions in low impact parameter collision of	of a medical cyclotron	1333
Low voltage pumped generators: investigations 14MeV:Monte Carlo calculations of characteristics when produced from a 6LiD compound 505 Moderation: resonance escape probability 427 Personal dosimeter using a CR-39 detector 509 Powder diffraction: use in structural studies of 60 C 519 Simultaneous transmission with 9 -rays to determine fat in meat 741 Small angle scattering investigation of irradiated magnet steel 729 Spectrum: evaluation by Coming CN glass 1351 Nickel 3He induced reactions 249 Niobium 701 mass attenuation coefficient and photoelectric cross section values 701 Nitrogen 702 Measurement in small animals by neutron activation 703 Production of residual nuclei by 10 -induced reactions 93 Production of residual nuclei by 10 -induced reactions 93 Production of residual nuclei by 10 -induced reactions 93 Production to dosimetry measurements 701 Industry: technological enhancement of naturally occurring radioactivity 707 Optical fibres 700 Application to dosimetry measurements 701 Production of residual nuclei by 10 -induced reactions 93 Production of residual nuclei by 10 -induced reactions 93 Production of residual nuclei by 10 -induced reactions 93 Production of residual nuclei by 10 -induced reactions 93 Production of residual nuclei by 10 -induced reactions 93 Production of residual nuclei by 10 -induced reactions 93 Production of residual nuclei by 10 -induced reactions 93 Production of residual nuclei by 10 -induced reactions 93 Production of residual nuclei by 10 -induced reactions 93 Production of residual nuclei by 10 -induced reactions 93 Production of residual nuclei by 10 -induced reactions 93 Production of residual nuclei by 10 -induced reactions 93 Production of residual nuclei by 10 -induced reactions 93 Production of residual nuclei by 10 -induced reactions 93 Production of residual nuclei by 10 -induced reactions 93 Production of residual nuclei by 10 -induced reactions 93 Production of Production of Pr	Irradiation for estimation of machine wear and corrosion	663
14MeV:Monte Carlo calculations of characteristics when produced from a 6LiD compound 505 Moderation: resonance escape probability 427 Personal dosimeter using a CR-39 detector 509 Powder diffraction: use in structural studies of 60 C 519 Simultaneous transmission with γ-rays to determine fat in meat 741 Small angle scattering investigation of irradiated magnet steel 729 Spectrum:evaluation by Corning CN glass 1351 Nickel 34e 3He induced reactions 249 Nicholium 249 Total mass attenuation coefficient and photoelectric cross section values 419 Nitrogen 429 Measurement in small animals by neutron activation 269 Production of residual nuclei by α-induced reactions 93 15 N: use to investigate soil fertility 611 Nuclear physics With radioactive beams 537 Oil Industry: technological enhancement of naturally occurring radioactivity 577 Optical fibres Application to dosimetry measurements 471 2-Oxoquazepam 440 471 Radiolabelling with electrophilic 18 F 1027 <tr< td=""><td>Logging in Russia:use of new generator</td><td>639</td></tr<>	Logging in Russia:use of new generator	639
6LiD compound Moderation: resonance escape probability Personal dosimeter using a CR-39 detector Powder diffraction: use in structural studies of 60C Simultaneous transmission with γ-rays to determine fat in meat Small angle scattering investigation of irradiated magnet steel Spectrum:evaluation by Corning CN glass Nickel He induced reactions Niobium Total mass attenuation coefficient and photoelectric cross section values Nitrogen Measurement in small animals by neutron activation Production of residual nuclei by α-induced reactions 15 N: use to investigate soil fertility Nuclear physics With radioactive beams Oil Industry: technological enhancement of naturally occurring radioactivity Optical fibres Application to dosimetry measurements 2-Oxoquazepam Radiolabelling with electrophilic ¹⁸ F Oxygen O+ ion bombardment:induction of disorders in silicon Production of residual nuclei by α- induced reactions 16 O and ²⁸ Si back angle anomaly and effective surface potential Palmitic acid [11C] labelled: column extraction method Paraffin Use as scintillator in a continuous scintillation counter Particle Charged: prompt and delayed emissions in low impact parameter collision of	Low voltage pumped generators:investigations	513
Moderation: resonance escape probability Personal dosimeter using a CR-39 detector Powder diffraction: use in structural studies of 60C Simultaneous transmission with γ-rays to determine fat in meat Small angle scattering investigation of irradiated magnet steel Spectrum:evaluation by Corning CN glass Nickel 3He induced reactions Nickel 3He induced reactions Nitrogen Measurement in small animals by neutron activation Production of residual nuclei by α-induced reactions 15 N: use to investigate soil fertility Multiparty: technological enhancement of naturally occurring radioactivity Optical fibres Application to dosimetry measurements 2-Oxoquazepam Radiolabelling with electrophilic 18F O'yogen O' ion bombardment:induction of disorders in silicon Production of residual nuclei by α-induced reactions 10 Oxygen O' ion bombardment:induction of disorders in silicon Production of residual nuclei by α-induced reactions 16O and 28Si back angle anomaly and effective surface potential Palmitic acid [11C] labelled: column extraction method 117 Paraffin Use as scintillator in a continuous scintillation counter 191 Particle Charged: prompt and delayed emissions in low impact parameter collision of	14MeV:Monte Carlo calculations of characteristics when produced from a	
Personal dosimeter using a CR-39 detector 509 Powder diffraction: use in structural studies of 60 C 519 Simultaneous transmission with γ-rays to determine fat in meat 741 Small angle scattering investigation of irradiated magnet steel 729 Spectrum:evaluation by Corning CN glass 1351 Nickel 3He induced reactions 249 Niobium 249 Total mass attenuation coefficient and photoelectric cross section values 419 Nitrogen 429 Measurement in small animals by neutron activation 269 Production of residual nuclei by α-induced reactions 93 15 N: use to investigate soil fertility 611 Nuclear physics 3 With radioactive beams 537 Oil 537 Industry: technological enhancement of naturally occurring radioactivity 577 Optical fibres 471 Application to dosimetry measurements 471 2-Oxoquazepam 471 Radiolabelling with electrophilic 18 F 1027 Oxygen 545 O+ ion bombardment:induction of disorders in silicon 545 Production	6LiD compound	505
Personal dosimeter using a CR-39 detector509Powder diffraction: use in structural studies of 60C519Simultaneous transmission with γ-rays to determine fat in meat741Small angle scattering investigation of irradiated magnet steel729Spectrum:evaluation by Coming CN glass1351Nickel3He induced reactions249Niobium249Total mass attenuation coefficient and photoelectric cross section values419Nitrogen269Measurement in small animals by neutron activation269Production of residual nuclei by α-induced reactions9315 N: use to investigate soil fertility611Nuclear physics3537With radioactive beams537Oil541Industry: technological enhancement of naturally occurring radioactivity577Optical fibres471Application to dosimetry measurements4712-Oxoquazepam471Radiolabelling with electrophilic 18 F1027Oxygen0+ ion bombardment:induction of disorders in silicon545Production of residual nuclei by α- induced reactions93 16 O and 28 Si back angle anomaly and effective surface potential17Palmitic acid117[11C] labelled: column extraction method117ParaffinUse as scintillator in a continuous scintillation counter191ParticleCharged: prompt and delayed emissions in low impact parameter collision of	Moderation: resonance escape probability	427
Powder diffraction: use in structural studies of 60C 519 Simultaneous transmission with γ-rays to determine fat in meat 741 Small angle scattering investigation of irradiated magnet steel 729 Spectrum:evaluation by Corning CN glass 1351 Nickel 3He induced reactions 249 Niobium Total mass attenuation coefficient and photoelectric cross section values Nitrogen Measurement in small animals by neutron activation 269 Production of residual nuclei by α-induced reactions 93 15 N: use to investigate soil fertility 611 Nuclear physics With radioactive beams 537 Oil Industry: technological enhancement of naturally occurring radioactivity 577 Optical fibres 471 Application to dosimetry measurements 471 2-Oxoquazepam Radiolabelling with electrophilic 18 F 1027 Oxygen 545 O+ ion bombardment:induction of disorders in silico		509
Small angle scattering investigation of irradiated magnet steel Spectrum:evaluation by Coming CN glass Nickel 3He induced reactions Niobium Total mass attenuation coefficient and photoelectric cross section values Nitrogen Measurement in small animals by neutron activation Production of residual nuclei by α -induced reactions 15 N: use to investigate soil fertility Nuclear physics With radioactive beams Oil Industry: technological enhancement of naturally occurring radioactivity Optical fibres Application to dosimetry measurements 2-Oxoquazepam Radiolabelling with electrophilic 18 F 1027 Oxygen O+ ion bombardment:induction of disorders in silicon Production of residual nuclei by α - induced reactions 16 O and 28 Si back angle anomaly and effective surface potential Palmitic acid [11 C] labelled: column extraction method 117 Paraffin Use as scintillator in a continuous scintillation counter 191 Particle Charged: prompt and delayed emissions in low impact parameter collision of		519
Small angle scattering investigation of irradiated magnet steel Spectrum:evaluation by Coming CN glass Nickel 3He induced reactions Niobium Total mass attenuation coefficient and photoelectric cross section values Nitrogen Measurement in small animals by neutron activation Production of residual nuclei by α -induced reactions 15 N: use to investigate soil fertility Nuclear physics With radioactive beams Oil Industry: technological enhancement of naturally occurring radioactivity Optical fibres Application to dosimetry measurements 2-Oxoquazepam Radiolabelling with electrophilic 18 F 1027 Oxygen O+ ion bombardment:induction of disorders in silicon Production of residual nuclei by α - induced reactions 16 O and 28 Si back angle anomaly and effective surface potential Palmitic acid [11 C] labelled: column extraction method 117 Paraffin Use as scintillator in a continuous scintillation counter 191 Particle Charged: prompt and delayed emissions in low impact parameter collision of	Simultaneous transmission with y-rays to determine fat in meat	741
Spectrum:evaluation by Coming CN glass Nickel 3He induced reactions Niobium Total mass attenuation coefficient and photoelectric cross section values Nitrogen Measurement in small animals by neutron activation Production of residual nuclei by α -induced reactions 15 N: use to investigate soil fertility Nuclear physics With radioactive beams 537 Oil Industry: technological enhancement of naturally occurring radioactivity Optical fibres Application to dosimetry measurements 471 2-Oxoquazepam Radiolabelling with electrophilic 18F 1027 Oxygen O+ ion bombardment:induction of disorders in silicon Production of residual nuclei by α - induced reactions 16O and 28Si back angle anomaly and effective surface potential 17 Palmitic acid [11C] labelled: column extraction method 117 Paraffin Use as scintillator in a continuous scintillation counter 191 Particle Charged: prompt and delayed emissions in low impact parameter collision of		729
Nickel 3He induced reactions 249 Niobium 3He induced reactions 419 Total mass attenuation coefficient and photoelectric cross section values 419 Nitrogen 2699 Measurement in small animals by neutron activation 2699 Production of residual nuclei by α-induced reactions 93 15 N: use to investigate soil fertility 611 Nuclear physics 537 With radioactive beams 537 Oil Industry: technological enhancement of naturally occurring radioactivity 577 Optical fibres 470 Application to dosimetry measurements 471 2-Oxoquazepam 471 Radiolabelling with electrophilic ¹⁸ F 1027 Oxygen 545 O+ ion bombardment:induction of disorders in silicon 545 Production of residual nuclei by α- induced reactions 93 16O and ²⁸ Si back angle anomaly and effective surface potential 17 Palmitic acid [11C] labelled: column extraction method 117 Paraffin Use as scintillator in a continuous scintillation counter 191 Particle Charged: prompt and delayed emissions in lo		
3He induced reactions Niobium Total mass attenuation coefficient and photoelectric cross section values Nitrogen Measurement in small animals by neutron activation Production of residual nuclei by α-induced reactions 15 N: use to investigate soil fertility Nuclear physics With radioactive beams 537 Oil Industry: technological enhancement of naturally occurring radioactivity Optical fibres Application to dosimetry measurements 2-Oxoquazepam Radiolabelling with electrophilic ¹⁸ F O+ ion bombardment:induction of disorders in silicon Production of residual nuclei by α- induced reactions 16O and ²⁸ Si back angle anomaly and effective surface potential Palmitic acid [¹¹C] labelled: column extraction method 117 Paraffin Use as scintillator in a continuous scintillation counter Particle Charged: prompt and delayed emissions in low impact parameter collision of		2002
Niobium Total mass attenuation coefficient and photoelectric cross section values Nitrogen Measurement in small animals by neutron activation Production of residual nuclei by α -induced reactions 15 N: use to investigate soil fertility Nuclear physics With radioactive beams 537 Oil Industry: technological enhancement of naturally occurring radioactivity Optical fibres Application to dosimetry measurements 471 2-Oxoquazepam Radiolabelling with electrophilic 18F 1027 Oxygen O+ ion bombardment:induction of disorders in silicon Production of residual nuclei by α - induced reactions 16O and 28Si back angle anomaly and effective surface potential Palmitic acid [11C] labelled: column extraction method 117 Paraffin Use as scintillator in a continuous scintillation counter 191 Particle Charged: prompt and delayed emissions in low impact parameter collision of		249
Total mass attenuation coefficient and photoelectric cross section values Nitrogen Measurement in small animals by neutron activation Production of residual nuclei by α-induced reactions 15 N: use to investigate soil fertility Nuclear physics With radioactive beams 537 Oil Industry: technological enhancement of naturally occurring radioactivity Optical fibres Application to dosimetry measurements 471 2-Oxoquazepam Radiolabelling with electrophilic ¹⁸ F 1027 Oxygen O+ ion bombardment:induction of disorders in silicon Production of residual nuclei by α- induced reactions 16O and ²⁸ Si back angle anomaly and effective surface potential 17 Palmitic acid [¹¹C] labelled: column extraction method 117 Paraffin Use as scintillator in a continuous scintillation counter 191 Particle Charged: prompt and delayed emissions in low impact parameter collision of		217
Nitrogen Measurement in small animals by neutron activation 269° Production of residual nuclei by α-induced reactions 93 15 N: use to investigate soil fertility 611 Nuclear physics 8 With radioactive beams 537 Oil 1 Industry: technological enhancement of naturally occurring radioactivity 577 Optical fibres 471 2-Oxoquazepam 471 Radiolabelling with electrophilic ¹⁸ F 1027 Oxygen 545 O+ ion bombardment:induction of disorders in silicon 545 Production of residual nuclei by α- induced reactions 93 ¹⁶ O and ²⁸ Si back angle anomaly and effective surface potential 17 Palmitic acid 117 [¹¹C] labelled: column extraction method 117 Paraffin 191 Use as scintillator in a continuous scintillation counter 191 Particle Charged: prompt and delayed emissions in low impact parameter collision of		419
Measurement in small animals by neutron activation269°Production of residual nuclei by α-induced reactions93 15 N: use to investigate soil fertility611Nuclear physics537With radioactive beams537OilIndustry: technological enhancement of naturally occurring radioactivity577Optical fibres471Application to dosimetry measurements471 2 -Oxoquazepam471Radiolabelling with electrophilic 18 F1027Oxygen545O+ ion bombardment:induction of disorders in silicon545Production of residual nuclei by α- induced reactions93 16 O and 28 Si back angle anomaly and effective surface potential17Palmitic acid[11 C] labelled: column extraction method117ParaffinUse as scintillator in a continuous scintillation counter191ParticleCharged: prompt and delayed emissions in low impact parameter collision of		417
Production of residual nuclei by α-induced reactions 93 15 N: use to investigate soil fertility 611 Nuclear physics With radioactive beams 537 Oil Industry: technological enhancement of naturally occurring radioactivity 577 Optical fibres 471 Application to dosimetry measurements 471 2-Oxoquazepam 471 Radiolabelling with electrophilic 18 F 1027 Oxygen 545 O+ ion bombardment:induction of disorders in silicon 545 Production of residual nuclei by α- induced reactions 93 16 O and 28 Si back angle anomaly and effective surface potential 17 Palmitic acid [11C] labelled: column extraction method 117 Paraffin Use as scintillator in a continuous scintillation counter 191 Particle Charged: prompt and delayed emissions in low impact parameter collision of		260
15 N: use to investigate soil fertility Nuclear physics With radioactive beams Oil Industry: technological enhancement of naturally occurring radioactivity Optical fibres Application to dosimetry measurements 2-Oxoquazepam Radiolabelling with electrophilic 18F 1027 Oxygen O+ ion bombardment:induction of disorders in silicon Production of residual nuclei by α- induced reactions 16O and 28Si back angle anomaly and effective surface potential 17 Palmitic acid [11C] labelled: column extraction method 117 Paraffin Use as scintillator in a continuous scintillation counter 191 Particle Charged: prompt and delayed emissions in low impact parameter collision of		
Nuclear physics With radioactive beams 537 Oil 577 Industry: technological enhancement of naturally occurring radioactivity 577 Optical fibres 471 2-Oxoquazepam 471 Radiolabelling with electrophilic ¹⁸ F 1027 Oxygen 545 O+ ion bombardment:induction of disorders in silicon 545 Production of residual nuclei by α- induced reactions 93 ¹⁶ O and ²⁸ Si back angle anomaly and effective surface potential 17 Palmitic acid [11C] labelled: column extraction method 117 Paraffin Use as scintillator in a continuous scintillation counter 191 Particle Charged: prompt and delayed emissions in low impact parameter collision of		
With radioactive beams 537 Oil Industry: technological enhancement of naturally occurring radioactivity 577 Optical fibres Application to dosimetry measurements 471 2-Oxoquazepam Radiolabelling with electrophilic ¹⁸ F 1027 Oxygen O+ ion bombardment:induction of disorders in silicon 545 Production of residual nuclei by α- induced reactions 93 16O and ²⁸ Si back angle anomaly and effective surface potential 17 Palmitic acid [¹¹C] labelled: column extraction method 117 Paraffin Use as scintillator in a continuous scintillation counter 191 Particle Charged: prompt and delayed emissions in low impact parameter collision of		011
Oil Industry: technological enhancement of naturally occurring radioactivity 577 Optical fibres Application to dosimetry measurements 471 2-Oxoquazepam Radiolabelling with electrophilic ¹⁸ F 1027 Oxygen 545 Production of residual nuclei by α- induced reactions 93 16O and ²⁸ Si back angle anomaly and effective surface potential 17 Palmitic acid [11C] labelled: column extraction method 117 Paraffin Use as scintillator in a continuous scintillation counter 191 Particle Charged: prompt and delayed emissions in low impact parameter collision of		527
Industry: technological enhancement of naturally occurring radioactivity Optical fibres Application to dosimetry measurements 2-Oxoquazepam Radiolabelling with electrophilic ¹⁸ F Oxygen O+ ion bombardment:induction of disorders in silicon Production of residual nuclei by α- induced reactions 16O and ²⁸ Si back angle anomaly and effective surface potential 17 Palmitic acid [¹¹C] labelled: column extraction method 117 Paraffin Use as scintillator in a continuous scintillation counter 191 Particle Charged: prompt and delayed emissions in low impact parameter collision of		331
Optical fibres Application to dosimetry measurements 471 2-Oxoquazepam Radiolabelling with electrophilic ¹⁸ F 1027 Oxygen O+ ion bombardment:induction of disorders in silicon 545 Production of residual nuclei by α- induced reactions 93 16O and ²⁸ Si back angle anomaly and effective surface potential 17 Palmitic acid [¹¹¹C] labelled: column extraction method 117 Paraffin Use as scintillator in a continuous scintillation counter 191 Particle Charged: prompt and delayed emissions in low impact parameter collision of		522
Application to dosimetry measurements 2-Oxoquazepam Radiolabelling with electrophilic ¹⁸ F 1027 Oxygen O+ ion bombardment:induction of disorders in silicon Production of residual nuclei by α- induced reactions 16O and ²⁸ Si back angle anomaly and effective surface potential 17 Palmitic acid [¹¹C] labelled: column extraction method 117 Paraffin Use as scintillator in a continuous scintillation counter 191 Particle Charged: prompt and delayed emissions in low impact parameter collision of		3//
2-Oxoquazepam Radiolabelling with electrophilic ¹⁸ F 1027 Oxygen O+ ion bombardment:induction of disorders in silicon 545 Production of residual nuclei by α- induced reactions 93 ¹⁶ O and ²⁸ Si back angle anomaly and effective surface potential 17 Palmitic acid [¹¹C] labelled: column extraction method 117 Paraffin Use as scintillator in a continuous scintillation counter 191 Particle Charged: prompt and delayed emissions in low impact parameter collision of		471
Radiolabelling with electrophilic ¹⁸ F 1027 Oxygen O+ ion bombardment:induction of disorders in silicon Production of residual nuclei by α- induced reactions 16O and ²⁸ Si back angle anomaly and effective surface potential 17 Palmitic acid [¹¹C] labelled: column extraction method 117 Paraffin Use as scintillator in a continuous scintillation counter 191 Particle Charged: prompt and delayed emissions in low impact parameter collision of		4/1
Oxygen O+ ion bombardment:induction of disorders in silicon Production of residual nuclei by α - induced reactions 93 16O and 28Si back angle anomaly and effective surface potential 17 Palmitic acid [11C] labelled: column extraction method 117 Paraffin Use as scintillator in a continuous scintillation counter 191 Particle Charged: prompt and delayed emissions in low impact parameter collision of		1005
O+ ion bombardment:induction of disorders in silicon Production of residual nuclei by α- induced reactions 93 16O and 28Si back angle anomaly and effective surface potential 17 Palmitic acid [11C] labelled: column extraction method 117 Paraffin Use as scintillator in a continuous scintillation counter 191 Particle Charged: prompt and delayed emissions in low impact parameter collision of	·	1027
Production of residual nuclei by α - induced reactions 16O and 28Si back angle anomaly and effective surface potential 17 Palmitic acid [11C] labelled: column extraction method 117 Paraffin Use as scintillator in a continuous scintillation counter 191 Particle Charged: prompt and delayed emissions in low impact parameter collision of		
16O and 28Si back angle anomaly and effective surface potential Palmitic acid [11C] labelled: column extraction method 117 Paraffin Use as scintillator in a continuous scintillation counter Particle Charged: prompt and delayed emissions in low impact parameter collision of		545
Palmitic acid [11C] labelled: column extraction method 117 Paraffin Use as scintillator in a continuous scintillation counter 191 Particle Charged: prompt and delayed emissions in low impact parameter collision of		
[11C] labelled: column extraction method 117 Paraffin Use as scintillator in a continuous scintillation counter 191 Particle Charged: prompt and delayed emissions in low impact parameter collision of	16O and 28Si back angle anomaly and effective surface potential	17
Paraffin Use as scintillator in a continuous scintillation counter 191 Particle Charged: prompt and delayed emissions in low impact parameter collision of	Palmitic acid	
Use as scintillator in a continuous scintillation counter Particle Charged: prompt and delayed emissions in low impact parameter collision of	[11C] labelled: column extraction method	117
Use as scintillator in a continuous scintillation counter Particle Charged: prompt and delayed emissions in low impact parameter collision of		
Particle Charged: prompt and delayed emissions in low impact parameter collision of	99	191
Charged: prompt and delayed emissions in low impact parameter collision of		
		425

Identification as a function of residual range of heavy ions in CR-39 and Lexan	351 615
Matter in the environment:PIXE analysis	
Size:effect on radon emanation rate	621
Peak multiplet	101
Separation in x-ray and γ-ray spectra	181
Pentadentate chiral amine -phenol ligands	000
Synthesis and radiochemical studies with 99mTc	923
PEP-II tunnel	
Estimation of radiation dose to electronic equipment	473
[14C]Perfluoroazide	
Use for photolabelling of human serum albumin	233
PET	
Radiopharmaceutical production:shielded housing for automated chemistry	
modules	339*
Phenol	
Aqueous solution:decomposition using high energy electron beam irradiation	1307
Phosphate	
Rock:analysis by x-ray fluorescence spectrometry	1003
Rock: determination of uranium and thorium content	719
Phosphoric acid	
Complexes of Cd ²⁺ , UO ₂ ²⁺ and Th ⁴⁺ at radiotracer level	657
Production for fertilizer: fluxes and distribution of natural radionuclides	717
Phosphorus	
32P:use to investigate soil fertility	611
35P-32P counting: pulse height spectral analysis	791
Photoelectric cross sections	191
For heavy atoms	419
Photomultiplier tube	419
	495
Efficiency at low temperatures Photon	493
	000*
Activation analysis of bulk lanthanum samples	999*
Low energy :attenuation measurements of hydrophilic materials for tissue	702
equivalent phantoms	783
Scattering and influence on diagnostic radiology	647
Transport:effect of polarization in γ-ray spectrometry	383
[11C]Physostygmine	
Synthesis from methyl [11C] isocyanate	167
Plant	
Selection :radiation induced mutations	589
Plasma	
Delay in silicon surface-barrier detector	493
Electron temperature:evaluation using semiconductor x-ray detectors	491
Laser: production and application of intense ion beams	723
Plutonium	
Analysis in environmental samples:historical perspective	1279
Assessment in contaminated wounds	199
Assessment of exposure in Rongelap and Utirik populations by urine analysis	1259
Contamination characteristics at Maralinga and Emu test ranges	1099
Content and isotopic ratios in environment L-x-ray and α-particle	.377
measurements	1151
Distribution and residence time in Baltic Sea	1225
Environmental: level in humans	1245
From Chernobyl:distribution in Poland	1203
TIOH CHEHOUYLUISH DUHOH III FOIGHU	1500

From Nagasaki A-bomb:mobility in environment	1191
Half life: comments	371†
Human ingestion experiments	279
In fresh water:sources and behaviour in Ottawa River Basin	1239
In tree rings: comparison between France and Japan	1271
In the environment 6-8 July 1994,Ottawa:symposium summary	1287
Isotopes: verification in low activity α-particle spectrometry	1135
Levels in Lake Ontario	1231
Mass balance released from Nagasaki A-bomb	1089
Metrology for environmental measurements	1145
Observations on distributions in oceans	1213
Release from reprocessing:behaviour in marine environment	1121
Speciation in natural groundwater using anion exchange	1159
Speciation in the Irish Sea and Western Mediterranean	1175
Transmutation potential	681
236Pu and 237Pu ultra pure for environmental research	307
239,240Pu and 238Pu concentrations in sediments from Ob and Yenisey	307
rivers and Kara Sea	1109
239,240Pu in bone of Marshall (Rongelap) Islanders	1253
Polonium	1233
209 Po α-decay:estimation of the population of the first excited level in	
205Ph	547
	717
210Po: content in phosphate rock used for fertilizer production 218Po size distribution of aerosol-particle concentration in open air	1393
	1393
Polymer	701
Liquid:viscosity divergence after γ-irradiation	721
Potassium	
40K concentration in fish in Bay of Bengal	363
40K concentration in phosphate rock used for fertilizer	717
40 K content in bricks fabricated in Cairo	1401
⁴² K aerosol production and tracer use	157
43K production: excitation functions and thick target yield of the $^{40}\text{Ar}(\alpha,p)^{43}\text{K}$	
reaction	1413
Precipitation	
Effect on environmental γ -radiation	603
Probability tables	
Construction for reference tabulation of neutron data	551
Program	
ESOLAN:use for absolute peak efficiency calibration of HPGe detector	993
[1-Propyl-11C]8-dicyclopropylmethyl-1,3-dipropylxanthine ([11C]KF15372)	
Synthesis and evaluation	1009
Proton	
Beam:applicability of alanine and radiochromic detectors to dosimetry	1355
Bombardment of natXe: excitation functions for production of Cs,Xe and I	
radioisotopes	1377
Response of CaF ₂ :Tm dosimeter	1081
Proton induced γ -ray emission(PIGE)	
Use for biodistribution study of ¹⁰ B	855
Proton nuclear activation(PNA)	
Use to determine tellurium plasma clearance in rabbits	87
Radiation	
Annihilation:production by cosmic rays in iron and lead	431
Annual exposure rate in Antarctica dependence on altitude	1363

Beam of a Mevatron:estimation of dose to critical organs outside the	
radiation beam	613
Dose accumulated by reindeer from Novaya Zemblya	1077
Emergency:use of sugar as personnel monitor	819
Environmental gamma:time variation due to precipitation	603
Induced mutations for plant selection	589
Ionizing:use for microtomography	689
Produced due to high energy ion-atom collisions	401
Treatment of Asian spices and herbs:detection	1071
R1adioactive beam	
Production: nuclear physics	537
Radioactivity	
Concentrations in fish in Bay of Bengal	363*
Factors affecting levels in water in Caceres(Spain)	1053
In Brazilian building materials(from the Brazilian state of Espirito Santo)	1387
In different types of bricks made in the Cairo region	1401
In foodstuffs in Egypt	607
Levels in Lake Nasser sediments	297*
Measurements: 40 year view of NBS/NIST Peltier effect microcalorimeter	185
Studies in amang effect	147*
Radiology	
Influence of photon scattering	647
Radionuclide	
Distribution in Nervion river basin (Spain)	649
Fall-out and natural: mobility in the soil-water interface in a Moroccan	
watershed	619
Fluxes and distribution in production a use of fertilizers	717
Standardization by Cherenkov counting	799
Use to trace time scales of environmental processes	627
Radiopharmaceutical	
PET production: shielded housing for automed chemistry modules	339*
Radiotherapy	507
60Co teletherapy:use of normalised axial distance function in semiempirical	
calculation of isodose curves	655
Radium	033
226Ra content in bricks fabricated in Cairo	1401
226Ra and 228Ra: content in phosphate rock used fertilizer	717
Radon	111
Aerosol attached progeny in open air: unattached fraction and size	
distribution	1393
Concentration in air: calibration of nuclear track detecr	483
Concentration in water from hot and cold springs in Taiwan	293
Daughters: effect of precipitation on environmental y-radiation	603
Emanation rate:effect of grain size	621
Factors affecting removal from ²²² Rn enriched water	609
Indoor concentration in dwellings and enclosed work areas in Morocco	601
Intercomparison programme findings	139*
Passive track detectors for measurements in dwellings	129
Variation in soil relating to earthquakes in Rachida province, Moocco	641
Reactor	341
Advanced power: improved safety characteristics	701
Fusion: simulation of fusion unit blankets and radiation shield	511
Thermal nuclear resonance escape probability during neutron moderation	427

Reindeer Radiation dose accumulated in Novaya Zemlya	1077
Reservoir	
Sediment:210Pb sedimentation in Morocco	617
Ruthenium	69
94Ru :use in generator to produce improved purity 94mTc Sample	09
Biological: treatment of data in the study of elemental concentrations	629
Environmental:analysis of Pu -historical perspective	1279
Environmental: uranium concentration in Kuwait after 1991 Gulf war	217
Scattering	
Experiments: evaluation of the uncertainty-averaging cross sections	453
Optimum geometry using surface revolution	543
Rayleigh: use of Yukawi-like parameter potentials in calculations	429
Scintillator	
Plastic:Monte Carlo calculation of radiation energy absorbed	499
YAlO ₃ :Ce : comparison with NaI as detector	517
Sea	
Baltic:Pu distribution and residence time	1225
Effect of Pu released after reprocessing on marine environment	1121
Irish and western Mediterranian:physico-chemical speciation of Pu	1175
Observations on the distribution of Pu	1213
Seaweed	
Uptake and biological half life of double tracer 125I-131I	1299
Sediment	(00
Atlantic Moroccan marine: neutron activation analysis	623
Competitive adsorption of 90Sr	287
Lake Nasser:radioactivity levels Marine:concentration of Pu released from reprocessing plants	297 1121
River and sea: 239,240 Pu and 238 Pu distribution	1109
210Pb content in reservoirs in Morocco to evaluate siltation rate	617
Selenium	017
Levels in yeast cells;use in INAA	1295
Sep-PakTM C-18 cartridges	1270
Use in preparation of radio-iodinated nca L-tyrosine derivatives	917
Shape -factor coefficients	
β-spectra: determination for ²⁰⁴ Tl, ³⁶ Cl, ¹³⁷ Cs, ⁸⁹ Sr and ⁹⁰ Y	125
Shells	
Molluscan: determination of absorbed dose of ionizing radiation by EPR	
spectroscopy	1047
Pleistocene molluscs:reliability of Th/U method for dating	653
Silicon	
Depth profile of disorders induced by O+ and Si+ ion bombardment	545
16O and 28Si back angle anomaly and effective surface potential	17
Production of residual nuclei by α- induced reactions	93
p-Type/Al ₂ O ₃ layer MOS capacitor:characteristics and radiation effects	355
Use in personal neutron dosimeter	469
Silver	
109m Ag: generator preparation from 109Pd	1007
Sodium	
Acetate and/or hexanoate: automated synthesis unit of ¹¹ C methylation	1035
Sodium chloride	
Attenuation coefficients for 662keV y- radiation ,in dilute solution	369

Sodium pertechnetate 99mTc labelled: extraction generator	104
	13*
Soil Cesium fallout as a tracer of erosion- sedimentation	659
Fertility:investigations using ¹⁵ N and ³² P	611
Ion exchange and sorption kinetics of Cs and Sr	839
Plutonium and americium contamination at Australian test ranges	
	1099
Radon variation related to earthquakes in Rachida province, Morocco	641
Sediments:adsorption of 90Sr	287
Uranium in samples in Kuwait after 1991 Gulf war	217
-Water interface: mobility of natural and fallout radionuclides in Morocco	619
Spectra	1125
α-particle at low level:verification of Pu isotopes	1135
Beta:shape factor coefficients for nuclides with forbidden transitions	125
Beta:statistical deconvolution and implications for neutrino mass detection	341
For electron bremsstrahlung in a screened atomic potential	445
γ-ray:computer method of stabilization	949
Proton energy for the ⁴⁰ Ar and ²⁴ Mg reaction	425
X-ray:effects of polarization	383
X-ray and γ-ray:separation of peak multiplet	181
Spectrometer	
EDXRF: use to determine trace element distribution in rat brain	59
Ge-BGO Compton suppresion:use in photon activation analysis of bulk	
lanthanum sample	999
Spectrometry	
Accelerator mass: new applications	457
α-particle:use in the determination of ²²⁷ Ac	1065
Electron and proton induced x-ray :for analysis of minerals	563
Gamma ray	
Determination of coincidence-summing corrections	961
Effects of polarization on the transport of photons	383
Measurement of fission yields of ²³² Th(n,f)	423
Non-destructive and destructive dating	651
Rutherford backscattering: effect of ion channelling	413
Secondary ion mass:use to determine tellurium plasma clearance in rabbits	987
With low activity α-particle sources: verification for Pu isotopes	1135
X-ray fluorescence: use to analyse rock phosphates	1003
	1005
Spectroscopy ENDOR and GTR for dating CO ₂ sites in fossil tooth enamel	311
EPR:use to determine detection limits of absorbed dose in mollusc shells	1047
Gamma: with collimated detector including self attenuation and collimator ed	479
penetration effects	4/9
Mössbauer	725
Use to study stainless steel thin films	725
With synchrotron radiation	525
Study of main glow peak for CaF ₂ :Mn	869
Spice	
Asian:detection of radiation treatment	1071
Steel	
Fe510D:residual strain in welds	731
Irradiated magnet: small angle neutron scattering	729
Stainless, thin films: Mössbauer spectroscopy and x-ray diffraction study	725

Sterilization	
Gamma: long term effects on degradation of implant materials	637
Strontium	-
Adsorption on hydrous ceric oxide	75
Ion exchange and sorption kinetics in soil	839
Ions:adsorption on chromium(IV) oxide powder	847
89Sr: β-spectra shape factor coefficients	125
90Sr	207
Adsorption on soil sediments	287
Standardization by Cherenkov counting	799
Sugar ESP on a resserved maniter	910
ESR as a personnel monitor	819 827
Sucrose dosimeter: lyoluminescence and ESR measurements Sulfhydryl group	021
Determination in monoclonal antibodies using 5-iodo acetamidofluorecein	1015
Sulphur	1015
35S β-spectrum: Monte Carlo simulation study	341
35S- 32P counting: pulse height spectral analysis	791
Sum peak method	191
Accidental summing correction in ¹²⁵ I activity determination	945
Surface	943
Assessment of tritium contamination	261
Synchrotron	201
Radiation:use in high pressure studies of magnetite and magnesioferrite	533
Radiation with Mössbauer spectroscopy	525
Use for microtomography	689
Synthon	007
11C labelled: synthesis of [11C] methyl magnesium iodide	227
Tantalum	
Mass attenuation coefficients at low photon energies	113
Target	
Cadmium:separation of 110In by thermal diffusion	859
Gas: design for production of radionuclides by Monte Carlo simulations	751
Neon gas:use for production of ¹⁸ F	833
Use of Al for [18F]F ₂	87
Technetium	
Use in study of amine-phenol ligands	923
94mTc : improved purity	69
99mTc aerosol production and tracer use	157
Tellurium	
Excitation functions of ¹²⁴ Te(p,xn) ^{124,123} I reactions	255
Influence of administered mass on plasma clearance in rabbits	987
121Te:half life determination	865
TENORM(technologically enhanced naturally occurring radioactive materials)	
In the oil,gas and mineral mining industry	577
Terbium	
159Tb: γ-ray spectrum following decay of 159Gd	133
Tetrabutylammonium bicarbonate	
Use for synthesis of [18F]FDG	887
Thallium	
²⁰¹ Tl excitation functions :calculated and experimental data	29
204Tl: β-spectra shape factor coefficients	125
²⁰⁴ Tl standardization by Cherenkov counting	799

Subject Index

xxiii

507

208Tl activity in amang effluent 147* Thermoluminescence Of irradiated milk powders 733 Study of main glow peak for CaF2:Mn 869 Determination In geological samples using solid state nuclear track detectors 365* In mineral mining materials 719 In various stages of monazite upgrading 735 Experiments on human ingestion 279 Th4+ complex with phosphoric acid at tracer level 657 -Uranium method:reliability for dating Pleistocene molluscs 653 232Th concentration in fish in the Bay of Bengal 363* 232Th content in bricks made in Cairo 1401 ²³²Th(n,f) measurement of fission yields at 14.7MeV 423 232Th series radioactivity in amang effluent 147* Tin Ore effluent(amang): radioactivity studies 147* Equivalent phantoms: low energy photon attenuation measurements of hydrophilic materials 783 **Tomography** Micro: use of ionizing radiation 689 Tooth enamel Apatites:dating CO₂ sites by EPR and by ENDOR and triple resonance 311 Trace element Distribution in rat brain following supplementation by lead and lithium 59 Analysis of organically bound tritium to determine environmental levels 991 Pu content: comparison between levels in France and Japan 1271 Tribology Nuclear methods of estimation 663 N-Trifluoroacetyl-3,4-dimethoxy-6-trimethylstannylphenethylamine Synthesis 883 Trimethyl silyl triphenyl phosphinime Synthesis and characterization 53 Tritium Assessment of contamination on various surfaces 261 559 Microdosimetry in different materials Retrospective environmental levels: from determination in tree rings 991 Use to determine leakages in blast furnace cooling plates 221 Tungsten Mass attenuation coefficient at low photon energies 113 Kit preparation of radio-iodinated derivatives 917 Uranium Concentration in environmental samples in Kuwait after Gulf war 217 Determination In geological samples using solid state nuclear track detectors 365* In mineral mining materials 719 In the various stages of monazite upgrading 735 Fission track annealing: convection methodology and inverse numerical

simulations in the multiexponential case

Isotopes:content in phosphate rock used for fertilizer	717
Mine contaminated water:radiation dose	965
Separation of U(IV) and U(VI) by ion exchange chromatography	1
Series dating:reliability for pleistocene molluscs	653
235U: determination in depleted or low enrichment samples	301*
238U: concentration in fish in bay of Bengal	363*
UO ₂ ²⁺ complex with phosphoric acid at radiotracer level	657
	051
Urine	1250
Fission track analysis for Pu in Rongelap and Utirik populations	1259
Vanadium	
Helium implanted:study of positron annihilation technique	981
Viscosity	
Divergence of γ- irradiated polymeric liquid	721
Waste	
Drum: measurement of high density activity	805
Nuclear:transmutation	681
	707
Radioactive:management in developing countries	101
Water	
Environmental:determination of Li by neutron activation	211
Electron dose distributions from point sources	1317
Evaluation of sedimentation rates of ²¹⁰ Pb in water in semiarid and arid areas	617
Factors affecting radioactivity levels in Caceres(Spain)	1053
Fresh:sources and behaviour of Pu in the Ottawa River basin	1239
Groundwater:speciation studies of Pu and other actinides by anion exchange	1159
Lake Ontario plutonium levels	1231
Mervion river in Spain:distribution of radioactivity	649
²²² Rn enriched: factors affecting removal of radon	609
-Soil interface: mobility of natural and fallout radionuclides in Morocco	619
Spa:radon concentration in hot and cold springs in Taiwan	293
Ultra pure: determination of lead concentration	633
Uranium mine run-off:β-radiation dose	965
Wear	903
W	663
Determination by nuclear methods	663
Wittig reagents	
¹¹ C labelled polymer -bound: use in the synthesis of ¹¹ C labelled	
aromatic alkenes	771
Wound	
Contaminated: assessment of Pu and Am	199
Xenon	
Chloride determination of radioactive lifetimes of B and C states	475
NatXe proton bombardment:excitation functions for production of radioisotope	es
of Cs,Xe and I	1377
127Xe:preparation	597
X-ray	
Densitometry:improved ratio method	631
Detection and ageing effects	485
Diffraction study of stainless steel thin films	725
Energy regime and scattering interactions: effects of polarization	383
Energy responses of semiconductor detectors	487
EDXRD:use to investigate Lusitania medallions	
	643
Fluorescence, in vivo : assessment of heavy metals concentration in man	571
In vivo XRF: feasibility study for iron using 109Cd	625

L-x-ray measurements to determine Pu content and isotopic ratios in	
environmental samples	1151
PIXE analysis of atmospheric particulate matter collected at various places	615
Polarization from a spherical surface	441
Responses: verification of 3-dimensional charge diffusion effect in multichar	nnel
semiconductor arrays	489
Spectrum determination by measuring fluorescence intensity from pure elem	ents 497
Tube for examination of light materials	501
Use for microtomography	689
XRF analysis of cadmium:in vivo applications	605
Y-25130	
¹¹ C labelling for use as 5HT ₃ receptor ligands	907
Yeast(Saccharmyces cerevisiae)	
Study of Se,Sb,Zn and Co levels by INAA	1295
YM060	
¹¹ C labelling for use as 5HT ₃ receptor ligands	907
Ytterbium	
Mass attenuation coefficients and photoelectric cross sections	419
Yttrium	
90Y: β-spectra shape factor coefficients	125
90Y standardization by Cherenkov counting	799
YAlO3:Ce :comparison with NaI:Tl scintillator in detectors	515
Zinc	
Irradiated:separation of 67Cu for antibody labelling	339
Levels in yeast cells :use of INAA	1295
64Zn decay: electron-positron conversion	455

^{*} indicates a Technical Note

[†] indicates a Letter to the Editor



